

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


Application of:	Ridley, et al.	)	Examiner:	Jaworski, Francis J.
Serial Number:	10/705,784	)	Group Art Unit:	3768
Filed:	Nov. 11, 2003	)	Customer Number:	22827
Confirmation No.:	5220	)	Deposit Account:	04-1403
Title:	Ultrasound Guided Probe Device and Method of Using Same	)	Attorney Docket No.:	HMD-1

### **CERTIFICATE OF ELECTRONIC SUBMISSION**

I hereby certify that this paper and all attachments and any fee are being transmitted via the internet to the U.S. Patent and Trademark Office via the Electronic Filing System on July 8, 2009.

Suzanne Haynes

(Typed or printed name of person transmitting paper or fee)



(Signature of person transmitting paper or fee)

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Application of:	Ridley, et al.	)	Examiner:	Jaworski, Francis J.
Serial Number:	10/705,784	)	Group Art Unit:	3768
Filed:	11/11/2003	)	Customer Number:	22827
Confirmation No.:	5220	)	Deposit Account:	04-1403
Title:	Ultrasound Guided Probe Device and Method of Using Same	)		

**REQUEST FOR CERTIFICATE OF CORRECTION**

CERTIFICATE OF CORRECTIONS BRANCH  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Pursuant to 37 C.F.R. §1.322, Patentees request that a Certificate of Correction be issued in connection with the above-identified patent. A Certificate of Correction PTO Form 1050 is enclosed herewith that contains the requested changes to correct errors in the issued patent. These errors are of a minor character or of a typographical or clerical nature, and do not constitute new matter or require reexamination.


Patentees respectfully submit that the errors addressed in this Request are due to Office error; therefore no fee is believed to be due. However, should the Office determine that any fee is required by this Request, please charge such fee to Deposit Account Number 04-1403.

Respectfully submitted,

DORITY & MANNING, P.A.

7/8/09

Date

  
Christina L. Mangelsen, Patent Agent  
Registration Number: 50,244

P.O. Box 1449  
Greenville, SC 29602-1449  
Telephone: (864) 271-1592  
Facsimile: (864) 233-7342

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,244,234  
APPLICATION NO.: 10/705,784  
ISSUE DATE : 07/17/2007  
INVENTOR(S) : Ridley, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 17, Line 39 reads "...the presence and a motion detector for detecting motion of a probe..."; should read  
--...a motion detector for detecting the presence and motion of a probe...--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

DORITY & MANNING, P.A.  
P.O. Box 1449  
Greenville, SC 29602

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*